Registered No. M.—1175

271

174

# The Mysore Gazette

Vol. 54.] PUBLISHED BY AUTHORITY. [No. 34.

BANGALORE, THURSDAY, AUGUST 21, 1919.

## PART V.

*Season Report for the Week ending with the 33rd Saturday in 1919 (16th August 1919).*

| | District and Station | Rainfall up to 8 A.M. on Saturday: This week | Rainfall up to 8 A.M. on Saturday: Last ten years' average for the corresponding week | Up to the end of the week from 1st January 1919: This year | Up to the end of the week from 1st January 1919: Average of past ten years | Up to the end of the week from 1st January 1919: Excess (+) or defect (—) of column 4 compared with column 5 | Price of food grains in seers per rupee and market fluctuations in prices of food grains | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | 2 | 3 | 4 | 5 | 6 | 7 | | | |
| | | I. c. | I. c. | I. c. | I. c. | I. c. | | This week | Past week | Past ten years' fortnightly average |
| | | | | | | | | Seers. | Seers. | Seers. |
| BANGALORE. | Bangalore C. & M. Station | 0 10 | 0 0 | 0 0 | 0 0 | 0 0 | | | | |
| | City & Taluk | 0 26 | 1 11 | 14 85 | 15 06 | — 0 21 | | | | |
| | Hoskote | 0 0 | 0 73 | 7 0 | 12 32 | — 5 32 | | | | |
| | Dodballapur | 0 0 | 1 24 | 15 75 | 13 89 | + 1 86 | Rice, 2nd sort. | 4·00 | 4·00 | 6·37 |
| | Nelamangala | 0 18 | 0 71 | 14 98 | 13 30 | + 1 68 | Ragi | 7·00 | 7·00 | 13·37 |
| | Kankanhalli | 0 10 | 1 29 | 12 38 | 14 66 | — 2 28 | Kulthi | 7·00 | 7·00 | 10·62 |
| | Magadi | 0 18 | 0 86 | 21 50 | 12 83 | + 8 67 | Kadale | 3·50 | 3·50 | 7·75 |
| | Channapatna | 0 0 | 1 67 | 15 63 | 15 49 | + 0 14 | | | | |
| | Anekal | 0 10 | 1 27 | 13 39 | 15 26 | — 1 87 | | | | |
| | Devanhalli | 0 0 | 0 92 | 14 12 | 13 12 | + 1 00 | | | | |
| | Closepet | 0 0 | 1 28 | 16 95 | 14 05 | + 2 90 | | | | |
| | District average... | 0 07 | 1 11 | 14 65 | 14 00 | + 0 65 | | | | |
| KOLAR. | Kolar | 0 0 | 1 90 | 12 52 | 14 81 | — 2 29 | | | | |
| | Bowringpet | 0 0 | 1 79 | 16 76 | 14 02 | + 2 74 | Rice, 2nd sort. | 3·50 | 3·50 | 7·72 |
| | Chintamani | 0 0 | 1 50 | 9 04 | 12 81 | — 3 77 | Ragi | 6·00 | 6·00 | 17·23 |
| | Mulbagal | 0 0 | 2 17 | 11 71 | 13 23 | — 1 52 | Kulthi | 6·00 | 6·00 | 11·75 |
| | Sidlaghatta | 0 0 | 1 27 | 16 89 | 13 96 | + 2 93 | Kadale | 3·50 | 3·50 | 9·10 |
| | Chikballapur | 0 14 | 1 62 | 14 04 | 13 98 | + 0 06 | | | | |
| | Bagepalli | 0 0 | 1 55 | 17 35 | 12 57 | + 4 78 | | | | |
| | Goribidnur | 0 0 | 1 77 | 15 16 | 14 24 | + 0 92 | | | | |
| | Malur | 0 0 | 1 86 | 13 65 | 12 97 | + 0 68 | | | | |
| | Srinivaspur | 0 0 | 1 72 | 11 57 | 14 30 | — 2 73 | | | | |
| | Gudibanda | 0 17 | 1 86 | 12 07 | 17 11 | — 5 04 | | | | |
| | District average... | 0 03 | 1 73 | 13 71 | 14 03 | — 0 32 | | | | |
| TUMKUR. | Tumkur | 0 0 | 1 11 | 15 64 | 14 07 | + 1 57 | | | | |
| | Maddagiri | 0 15 | 0 80 | 17 72 | 13 48 | + 4 24 | Rice, 2nd sort | 4·00 | 4·00 | 8·00 |
| | Chiknayakanhalli | 0 0 | 0 40 | 11 43 | 12 57 | — 1 14 | Ragi | 6·75 | 7·00 | 18·80 |
| | Sira | 0 0 | 0 75 | 10 18 | 10 81 | — 0 63 | Kulthi | 7·00 | 7·50 | 10·00 |
| | Gubbi | 0 08 | 1 14 | 18 84 | 15 92 | + 2 92 | Kadale | 3·00 | 3·25 | 8·80 |
| | Tiptur | 0 0 | 0 64 | 11 73 | 10 75 | + 0 98 | | | | |
| | Pavagada | 0 0 | 0 63 | 8 96 | 10 61 | — 1 65 | | | | |
| | Kunigal | 0 0 | 1 35 | 13 53 | 14 26 | — 0 73 | | | | |
| | Koratagere | 0 0 | 0 95 | 20 00 | 13 52 | + 6 48 | | | | |
| | Turuvekere | 0 0 | 0 73 | 15 45 | 13 68 | + 1 77 | | | | |
| | District average... | 0 02 | 0 85 | 14 35 | 12 97 | + 1 38 | | | | |

| District and Station | Rainfall up to 8 A.M. on Saturday | | | | | | | | | | Price of food grains in seers per rupee and market fluctuations in prices of food grains | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | This week | | Last ten years' average for the corresponding week | | Up to the end of the week from 1st January 1919 | | | | | | | | | |
| | | | | | This year | | Average of past ten years | | Excess (+) or defect (−) of column 4 compared with column 5 | | | | | |
| 1 | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | | | |
| | I. | c. | I. | c. | I. | c. | I. | c. | I. | c. | | This week | Past week | Past ten years' fortnightly average |
| MYSORE. | | | | | | | | | | | | Seers | Seers | Seers |
| Mysore | 0 | 12 | 0 | 68 | 11 | 50 | 14 | 87 | — 3 | 37 | Rice, 2nd sort. | 3·75 | 3·75 | 6·91 |
| Chamrajnagar | 0 | 0 | 0 | 52 | 10 | 62 | 11 | 53 | — 0 | 91 | Ragi | 6·75 | 6·75 | 14·20 |
| Seringapatam | 0 | 0 | 0 | 54 | 7 | 45 | 13 | 43 | — 5 | 98 | Kulthi | 7·75 | 8·00 | 13·04 |
| Hunsur | 0 | 0 | 0 | 38 | 12 | 29 | 17 | 55 | — 5 | 26 | Kadale | 3·75 | 3·75 | 7·31 |
| Yedatore | 0 | 0 | 0 | 60 | 8 | 38 | 13 | 48 | — 5 | 10 | | | | |
| Heggaddevankote | 0 | 49 | 0 | 43 | 22 | 35 | 22 | 57 | — 0 | 22 | | | | |
| Gundlupet | 0 | 0 | 0 | 47 | 9 | 09 | 13 | 82 | — 4 | 73 | | | | |
| Nanjangud | 0 | 10 | 0 | 48 | 10 | 70 | 14 | 40 | — 3 | 70 | | | | |
| T.-Narsipur | 0 | 0 | 0 | 71 | 8 | 80 | 11 | 58 | — 2 | 78 | | | | |
| Malvalli | 0 | 0 | 0 | 94 | 15 | 88 | 12 | 21 | + 3 | 67 | | | | |
| Mandya | 0 | 0 | 0 | 09 | 8 | 35 | 12 | 43 | — 4 | 08 | | | | |
| Krishnarajpete | 0 | 19 | 0 | 67 | 16 | 09 | 14 | 89 | + 1 | 20 | | | | |
| Nagamangala | 0 | 0 | 1 | 01 | 10 | 45 | 11 | 52 | — 1 | 07 | | | | |
| District average... | 0 | 08 | 0 | 65 | 11 | 69 | 14 | 25 | — 2 | 56 | | | | |
| HASSAN. | | | | | | | | | | | | | | |
| Hassan | 0 | 25 | 0 | 57 | 13 | 28 | 18 | 27 | — 4 | 99 | Rice, 2nd sort. | 3·50 to 4·00 | 3·50 to 4·00 | 7·50 |
| Manjarabad (Saklespur) | 1 | 88 | 2 | 76 | 63 | 35 | 64 | 35 | — 1 | 00 | Ragi | 8·00 | 7·00 | 16·50 |
| Arkalgud | 1 | 30 | 0 | 68 | 22 | 09 | 21 | 93 | + 0 | 16 | Kulthi | 8to9·00 | 8to9·00 | 12·00 |
| Belur | 0 | 30 | 0 | 77 | 17 | 23 | 25 | 36 | — 8 | 13 | Kadale | 3·00 | 3·00 | 7·50 |
| Channarayapatna | 0 | 00 | 0 | 59 | 16 | 59 | 14 | 82 | + 1 | 77 | | | | |
| Arsikere | 0 | 00 | 0 | 62 | 11 | 76 | 14 | 79 | — 3 | 03 | | | | |
| Hole-Narsipur | 0 | 55 | 0 | 54 | 10 | 67 | 15 | 01 | — 4 | 34 | | | | |
| Alur (Sub) | 0 | 40 | 0 | 90 | 20 | 80 | 26 | 82 | — 6 | 02 | | | | |
| District average... | 0 | 59 | 0 | 93 | 21 | 93 | 25 | 17 | — 3 | 19 | | | | |
| SHIMOGA. | | | | | | | | | | | | | | |
| Shimoga | 0 | 68 | 0 | 51 | 19 | 42 | 21 | 24 | — 1 | 82 | Rice, 2nd sort. | 5·00 | 5·00 | 7·20 |
| Channagiri | 0 | 58 | 0 | 83 | 17 | 17 | 17 | 09 | + 0 | 08 | Ragi | 7·00 | 6·50 | 15·40 |
| Honnali | 0 | 00 | 0 | 54 | 12 | 03 | 12 | 72 | — 0 | 69 | Kulthi | 8·00 | 7·15 | 9·97 |
| Shikarpur | 0 | 74 | 0 | 62 | 17 | 35 | 22 | 66 | — 5 | 31 | | | | |
| Sorab | 1 | 36 | 1 | 72 | 30 | 42 | 44 | 92 | —14 | 50 | | | | |
| Sagar | 2 | 28 | 2 | 72 | 48 | 09 | 58 | 18 | —10 | 09 | | | | |
| Nagar (Kallurkatte) | 1 | 60 | 2 | 68 | 59 | 83 | 76 | 76 | —16 | 93 | | | | |
| Tirthahalli | 5 | 17 | 4 | 50 | 86 | 18 | 91 | 03 | — 4 | 85 | | | | |
| Kumsi | 0 | 95 | 0 | 91 | 25 | 88 | 27 | 05 | — 1 | 12 | | | | |
| District average... | 1 | 48 | 1 | 67 | 35 | 15 | 41 | 30 | — 6 | 15 | | | | |
| KADUR. | | | | | | | | | | | | | | |
| Chikmagalur | 0 | 00 | 0 | 16 | 18 | 78 | 21 | 60 | — 2 | 82 | Rice, 2nd sort. | 3·50 to 5·00 | 3·50 to 5·00 | 7·00 |
| Kadur | 0 | 00 | 0 | 09 | 11 | 25 | 10 | 78 | + 0 | 47 | Ragi | 7·50to 8·00 | 7·75 | 16·00 |
| Tarikere | 0 | 59 | 0 | 52 | 22 | 19 | 20 | 47 | + 1 | 72 | Kulthi | 8·50 | 8·00 | 12·00 |
| Koppa | 3 | 95 | 3 | 58 | 64 | 91 | 71 | 14 | — 6 | 23 | | | | |
| Mudgere | 1 | 81 | 2 | 02 | 57 | 16 | 65 | 21 | — 8 | 05 | | | | |
| Narasimharajapura | 2 | 52 | 2 | 19 | 51 | 25 | 53 | 37 | — 2 | 12 | | | | |
| Sringeri | 5 | 39 | 4 | 68 | 98 | 50 | 100 | 98 | — 2 | 48 | Kadale | 3·25 to 4·00 | 3·50 to 4·00 | 8·00 |
| District average... | 2 | 04 | 1 | 89 | 46 | 29 | 49 | 08 | — 2 | 79 | | | | |
| CHITALDRUG. | | | | | | | | | | | | | | |
| Chitaldrug | 0 | 14 | 0 | 62 | 12 | 04 | 10 | 66 | + 1 | 38 | Rice, 2nd sort. | 4·00 | 4·00 | 8·00 |
| Challakere | 0 | 00 | 0 | 41 | 7 | 99 | 8 | 47 | — 0 | 48 | Ragi | 7·00 | 7·00 | 20·00 |
| Hiriyur | 0 | 12 | 0 | 39 | 15 | 01 | 12 | 08 | + 2 | 93 | Kulthi | 7·50 | 7·50 | 16·00 |
| Holalkere | 0 | 80 | 0 | 52 | 14 | 59 | 12 | 16 | + 2 | 43 | Cholum | 7·25 | 7·50 | 16·00 |
| Davangere | 0 | 00 | 0 | 60 | 12 | 73 | 11 | 34 | + 1 | 39 | Kadale | 3·50 | 3·50 | 8·00 |
| Molakalmuru | 0 | 16 | 1 | 09 | 5 | 88 | 10 | 82 | — 4 | 94 | | | | |
| Jagalur | 0 | 12 | 0 | 57 | 10 | 57 | 9 | 07 | + 1 | 50 | | | | |
| Hosdurga | 0 | 00 | 0 | 35 | 15 | 28 | 11 | 17 | + 4 | 11 | | | | |
| Harihar | 0 | 00 | 0 | 56 | 8 | 40 | 10 | 61 | — 2 | 21 | | | | |
| District average... | 0 | 15 | 0 | 57 | 11 | 38 | 10 | 66 | + 0 | 72 | | | | |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | | |
| Provincial average... | 0 | 56 | 1 | 18 | 21 | 15 | 22 | 68 | — 1 | 53 | | | | |

NOTE.—Rice (husked)—Oryza Sativa.
Ragi—Eleusine Coracana.
Kulthi—(Horse gram) Do ichos Biflorus
Cholum—Sorghum Vulgare.
Kadale—(Bengal gram) Ciser Arietinum.

## DISTRICT REPORTS.

8. Markets how supplied.

9. Progress of agricultural operations, state of standing crops, prospects and probable outturn of harvests, serious damage done to crops by insects or other natural calamities.

10. Prospects of season, tracts in which the rainfall has been insufficient, areas affected by scarcity, number of people under relief, and state of food stocks.

11. Public health.

12. Remarks as to the condition of agricultural stock, failure of pasturage, of fodder, etc.

### BANGALORE CIVIL AND MILITARY STATION.

| | | *Average for the past five years of the corresponding week.* | | *Current.* |
|---|---|---|---|---|
| Prices of food grains— | Boiled rice (2nd sort) | 6·90 | 4·02 | Quantity per rupee by the standard seer of 80 tolas. |
| | Ragi | 15·06 | 6·19 | |
| | Rangoon rice (2nd sort) | | 5·75 | |

*Agricultural operations.*—Nil.

Cattle are healthy. Water is sufficient, but fodder is reported to be dear.

### BANGALORE CITY AND TALUKS.

8. Supply fair.

9. *Agricultural operations.*—Weeding is going on in all parts. Lands are being ploughed and got ready for sowing horse gram in parts of Magadi Taluk and Closepet Sub-Taluk.

*Seeds sown.*—Paddy is being sown in wet lands in parts of Dodballapur, Nelamangala and Devanhalli Taluks.

*Standing crops.*—Sugar-cane, punaji paddy, ragi, avare, togari, cholam, haraka and mulberry are generally in good condition, but the dry crops require rain very early in almost all the taluks.

*Damages to crops.*—Nil.

*Crops harvested.*—Til (yellu) in parts of Kankanhalli, Channapatna and Magadi Taluks.

*Estimated outturn.*—Til (yellu) in Channapatna 8 annas.

10. Prospects of the season are fair. Rain is urgently required in almost all the taluks. Food stuffs are available but prices are ruling high. Cooly classes find labour.

11. Small-pox is prevalent in parts of Bangalore, Nelamangala, Channapatna and Magadi Taluks and Closepet Sub-Taluk and plague in one village of the Bangalore Taluk, one village in the Magadi Taluk and one in the Anekal Taluk and in the towns of Hoskote Sulibele, Vadigenahalli, Kankanhalli, Dodballapur and Anekal. Public health is otherwise generally good. Cases of cholera have occurred in four villages of the Bangalore Taluk and in the town of Dodballapur. In the village of Gottigere in the Bangalore Taluk 20 persons are reported to be laid up with fever.

12. Except for Dodroga in parts of Nelamangala Taluk and a few villages in the Closepet Sub-Taluk and one village in the Anekal Taluk, cattle are generally healthy. Water and fodder are available.

### KOLAR.

8. Fairly supplied.

9. *Seeds sown.*—Karthika paddy in parts of the Kolar, Sidlaghatta Goribidnur and Malur Taluks and Gudibanda Sub-Taluk.

*Crops harvested and their outturn.*—Gid ragi in parts of the Mulbagal Taluk, yield 8 to 12 annas; baragu in parts of the Sidlaghatta Taluk, yield 8 annas. Vaisakhi paddy in parts of the Goribidnur Taluk, yield 12 annas.

*Standing crops.*—Dry crops are reported to be withering for want of rain in all parts. Cater-pillars are reported to be still found in the taluks of Bowringpet and Chintamani and the Sub-Taluk of Gudibanda.

10. Season prospects, fair. Prices of food grains, stationary. Labour available.

11. Public health generally good, except for cholera and plague in a few villages of the Sidlaghatta Taluk; small-pox in the Mulbagal Taluk. It is feared that there is influenza in a village of the Kolar Taluk.

12. Except for rinderpest in parts of the Chintamani, Sidlaghatta and Bagepalli Taluks, the cattle are generally healthy. Pasture, fodder and water are available.